

www.wonwoo.com

WONWOO
SECURITY
SOLUTIONS

WONWOO

AF Zoom Module Series



MC-S038B



MC-108 / 108B



MC-A108




MC-105




MC-105Q


Sensor/Resolution	1/2", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1440P
Lens	3x(f=3.6~10mm)	10x(f=5.1~51mm)	10x(f=5.1~51mm)	10x(f=4.7~47mm)	10x(f=4.7~47mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	HD-SDI, EX-SDI, TVI, CVBS	MC-108 : EX-SDI, LVDS, CVBS MC-108B : HD-SDI, EX-SDI, TVI, CVBS	HD-SDI, EX-SDI, AHD, CVBS	LVDS, CVBS	LVDS, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V




MC-S189



MC-S189Q



MC-S185U



MC-S187U



MC-209 / 209B

Sensor/Resolution	1/2", 1080P	1/1.8", 1440P	1/1.8", 2160P	1/1.8", 2160P	1/2.8", 1080P
Lens	18x(f=6.8~122.4mm)	18x(f=6.8~122.4mm)	18x(f=6.8~120mm)	18x(f=6.8~120mm)	20x(f=5.2~104mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	EX-SDI, LVDS, CVBS	EX-SDI, LVDS, CVBS	HDMI, CVBS	HDMI, CVBS	MC-209 : EX-SDI, LVDS, CVBS MC-209B : EX-SDI, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V

AF Zoom Module Series



30x



30x



30x

1/2"



30x

1/2"



30x

1/1.8"

	MC-308 / 308B	MC-A308	MC-S308 / S308B	MC-S309	MC-S309Q
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2", 1080P	1/2", 1080P	1/1.8", 1440P
Lens	30x(f=4.6~136mm)	30x(f=4.6~136mm)	30x(f=6~180mm)	30x(f=6~180mm)	30x(f=6~180mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	MC-308 : EX-SDI, LVDS, CVBS MC-308B : HD-SDI, EX-SDI, TVI, CVBS	HD-SDI(Optional), EX-SDI(Optional), AHD, CVBS	MC-S308 : EX-SDI, LVDS, CVBS MC-S308B : HD-SDI, EX-SDI, TVI, CVBS	EX-SDI, LVDS, AHD, CVBS	EX-SDI, LVDS, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V



36x

1/2"



36x

1/2"



36x

1/1.8"



36x

Pregius



36x

Pregius

	MC-S368 / S369	MC-S368B	MC-S369Q	MC-G365	MC-G365B
Sensor/Resolution	1/2", 1080P	1/2", 1080P	1/1.8", 1440P	1/2.3", 1080P Global Shutter	1/2.3", 1080P Global Shutter
Lens	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	EX-SDI, LVDS, CVBS	HD-SDI, EX-SDI, TVI, CVBS	EX-SDI, LVDS, CVBS	EX-SDI, LVDS, CVBS	HD-SDI, EX-SDI, TVI, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V

AF Zoom Module Series



MM-405 / 407



MM-405Q / 407Q



MM-H407Q



MM-S407Q / HS407Q



MM-555

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1440P	1/2.8", 1440P	1/1.8", 1440P	1/2.8", 1080P
Lens	40x(f=4.25~170mm)	40x(f=4.25~170mm)	40x(f=4.25~170mm)	40x(f=6.5~260mm)	55x(f=4.25~234mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	LVDS, CVBS	LVDS, CVBS	NETWORK, CVBS	MM-S407Q : LVDS, CVBS MM-HS407Q : NETWORK, CVBS	LVDS, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V

MB Series



MB-18



MB-S18



MB-14U



MB-HG15/XG15



MB-108-USB

Sensor/Resolution	1/3", 1080P	1/2", 1080P	1/2", 2160P	1/1.8", 1080P Global Shutter	1/3", 1080P
Lens	C/CS	C/CS	C/CS	C/CS	10x(f=5.1~51mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	HD-SDI, EX-SDI, CVBS	HD-SDI, EX-SDI, TVI, CVBS	HD-SDI, EX-SDI, CVBS	NETWORK, HD-SDI, EX-SDI, TVI, CVBS	USB 3.1
Power	DC 12V	DC 12V	DC 12V	DC 12V, PoE	DC 5V

MB Series



3x
1/1.8"
Pregius

MB-HG25 / XG25



3x
1/2"

MB-S28 / S29



3x
1/1.8"

MB-S29Q



10x

MB-108



10x

MB-X108

Sensor/Resolution	1/1.8", 1080P Global Shutter	1/2", 1080P	1/1.8", 1440P	1/2.8", 1080P	1/2.8", 1080P
Lens	3x(f=3.6~10mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)	10x(f=5.1~51mm)	10x(f=5.1~51mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	NETWORK, HD-SDI, EX-SDI, TVI, CVBS	MB-S28 : HD-SDI, EX-SDI, AHD, CVBS MB-S29 : EX-SDI, CVBS	EX-SDI	HD-SDI, EX-SDI, TVI, CVBS	NETWORK, CVBS
Power	DC 12V, PoE	DC 12V	DC 12V	DC 12V	DC 12V



20x

MB-208



20x

MB-A209



20x

MB-H208 / X208



30x

MB-308



30x

MB-A308

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P
Lens	20x(f=5.2~104mm)	20x(f=5.2~104mm)	20x(f=5.2~104mm)	30x(f=4.6~136mm)	30x(f=4.6~136mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	EX-SDI, CVBS	AHD, TVI, CVBS	NETWORK, HD-SDI, CVBS	HD-SDI, EX-SDI, TVI, CVBS	AHD, CVBS
Power	DC 12V	DC 12V	DC 12V, PoE	DC 12V	DC 12V

MB Series



30x



30x

1/2"



36x

1/2"



36x

1/2"



36x

Pregius

	MB-H308 / X308	MB-HS308 / XS308	MB-S368	MB-HS368 / XS368	MB-G365 / XG365
Sensor/Resolution	1/2.8", 1080P	1/2", 1080P	1/2", 1080P	1/2", 1080P	1/2.3", 1080P Global Shutter
Lens	30x(f=4.6~136mm)	30x(f=6~180mm)	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)
Day & Night	○	○	○	○	○
WDR	○	○	○	○	○
Video Output	NETWORK, HD-SDI, CVBS	NETWORK, HD-SDI, CVBS	HD-SDI, EX-SDI, TVI, CVBS	NETWORK, HD-SDI, CVBS	MB-G365 : HD-SDI, EX-SDI, TVI, CVBS MB-XG365 : NETWORK, CVBS
Power	DC 12V, PoE	DC 12V, PoE	DC 12V	DC 12V, PoE	DC 12V

MIR Series



3x

1/1.8"

Pregius



3x



3x



3x

1/2"



3x

1/2"

	MIR-HG25-B / XG25-B	MR-038	MR-H038 / X038	MR-S038	MR-HS038 / XS038
Sensor/Resolution	1/1.8", 1080P Global Shutter	1/3", 1080P	1/3", 1080P	1/2", 1080P	1/2", 1080P
Lens	3x(f=12~40mm)	3x(f=3~9mm)	3x(f=3~9mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)
IR Distance	20m	100m	100m	100m	100m
In/Out Port	1 / 2	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP67	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10
Video Output	NETWORK, CVBS	HD-SDI, EX-SDI, CVBS	NETWORK, CVBS	HD-SDI, EX-SDI, CVBS	NETWORK, CVBS
Power	DC 12V	DC 12V, AC 24V	DC 12V, AC 24V	DC 12V, AC 24V	DC 12V, AC 24V

MR Series



10x



10x



12x
1/1.9"



18x
1/2"



20x

	MR-108	MR-H108 / X108	MR-HS128	MR-XS189	MR-208
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/1.9", 1080P	1/2", 1080P	1/2.8", 1080P
Lens	10x(f=5.1~51mm)	10x(f=5.1~51mm)	12x(f=7~84mm)	18x(f=6.8~122.4mm)	20x(f=5.2~104mm)
IR Distance	100m	100m	100m	100m	100m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10
Video Output	HD-SDI, EX-SDI, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	HD-SDI, EX-SDI, CVBS
Power	DC 12V, AC 24V	DC 12V, AC 24V	DC 12V, AC 24V	DC 12V, AC 24V	DC 12V, AC 24V

WCK Series



20x



30x



30x



36x
1/2"



36x
1/1.8"

	MR-H208 / X208	MR-308	MR-H308 / X308	WCK-HS369 / FS369	WCK-HS369Q / FS369Q
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2", 1080P	1/1.8", 1440P
Lens	20x(f=5.2~104mm)	30x(f=4.6~136mm)	30x(f=4.6~136mm)	36x(f=6~216mm)	36x(f=6~216mm)
IR Distance	100m	100m	100m	250m	250m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 0	1 / 0
Ingress Protection	IP67, IK10	IP67, IK10	IP67, IK10	IP66, IK10	IP66, IK10
Video Output	NETWORK, CVBS	HD-SDI, EX-SDI, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS
Power	DC 12V, AC 24V, PoE+(Option)	DC 12V, AC 24V	DC 12V, AC 24V, PoE+(Option)	DC 12V ~ 24V, AC 24V	DC 12V ~ 24V, AC 24V

WGK Series



WGK-HS407 / HS407-RT

WGK-HS407Q / HS407Q-RT

Sensor/Resolution
Lens
IR Distance
In/Out Port
Ingress Protection
Video Output
Power

1/1.8", 1080P
40x(f=6.5~260mm)
500m
4 / 2
IP66, IK10
NETWORK, CVBS
HPoE(80W)

1/1.8", 1440P
40x(f=6.5~260mm)
500m
4 / 2
IP66, IK10
NETWORK, CVBS
HPoE(80W)

WMK Series



WMK-M208

WMK-H208 / F208

WMK-M308

1/2.8", 1080P
20x(f=5.2~104mm)
350m
8 / 2
IP66, IK10
HD-SDI, EX-SDI, CVBS
AC 24V

1/2.8", 1080P
20x(f=5.2~104mm)
350m
1 / 1
IP66, IK10
NETWORK, HD-SDI, EX-SDI, CVBS
AC 24V

1/2.8", 1080P
30x(f=4.6~136mm)
350m
8 / 2
IP66, IK10
HD-SDI, EX-SDI, CVBS
AC 24V



WMK-H308 / F308

WMK-S308 / S309

WMK-HS308 / FS308

WMK-HS309 / FS309

WMK-S368 / S369

Sensor/Resolution
Lens
IR Distance
In/Out Port
Ingress Protection
Video Output
Power

1/2.8", 1080P
30x(f=4.6~136mm)
350m
1 / 1
IP66, IK10
NETWORK, HD-SDI, EX-SDI, CVBS
AC 24V

1/2", 1080P
30x(f=6~180mm)
350m
8 / 2
IP66, IK10
WMK-S308 : HD-SDI, EX-SDI, CVBS WMK-S309 : EX-SDI, CVBS
AC 24V

1/2", 1080P
30x(f=6~180mm)
350m
1 / 1
IP66, IK10
NETWORK, HD-SDI, EX-SDI, CVBS
AC 24V

1/2", 1080P
30x(f=6~180mm)
350m
1 / 1
IP66, IK10
NETWORK, EX-SDI, CVBS
AC 24V

1/2", 1080P
36x(f=6~216mm)
350m
8 / 2
IP66, IK10
WMK-S368 : HD-SDI, EX-SDI, CVBS WMK-S369 : EX-SDI, CVBS
AC 24V

WMK Series



WMK-HS368 / FS368

WMK-HS369 / FS369

WMK-HS369Q / FS369Q

WMK-HG365 / FG365

WRK-HS369 / HS369-RT

Sensor/Resolution	1/2", 1080P	1/2", 1080P	1/1.8", 1440P	1/2.3", 1080P Global Shutter	1/2", 1080P
Lens	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)
IR Distance	350m	350m	350m	350m	200m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10
Video Output	NETWORK, HD-SDI, EX-SDI, CVBS	NETWORK, EX-SDI, CVBS	NETWORK, EX-SDI, CVBS	NETWORK, EX-SDI, CVBS	NETWORK, CVBS
Power	AC 24V	AC 24V	AC 24V	AC 24V	AC 24V

MMK Series



MMK-HS189 / FS189

MMK-HS189Q / FS189Q

MMK-M208

MMK-H208 / F208

WCA-M208 / H208

Sensor/Resolution	1/2", 1080P	1/1.8", 1440P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P
Lens	18x(f=6.8~122.4mm)	18x(f=6.8~122.4mm)	20x(f=5.2~104mm)	20x(f=5.2~104mm)	20x(f=5.2~104mm)
IR Distance	150m	150m	150m	150m	120m
In/Out Port	1 / 1	1 / 1	4 / 2	1 / 1	2 / 0
Ingress Protection	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10	-
Video Output	NETWORK, EX-SDI, CVBS	NETWORK, EX-SDI, CVBS	HD-SDI, EX-SDI, CVBS	NETWORK, HD-SDI, EX-SDI, CVBS	WCA-M208 : HD-SDI, CVBS WCA-H208 : NETWORK, CVBS
Power	AC 24V	AC 24V	AC 24V	AC 24V	DC 12V ~ 24V

WCA Series

TSF Series



	TSF-M208	TSF-H208	TSF-M308	TSF-H308	TSO-M208
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P
Lens	20x(f=5.2~104mm)	20x(f=5.2~104mm)	30x(f=4.6~136mm)	30x(f=4.6~136mm)	20x(f=5.2~104mm)
IR Distance	-	-	-	-	-
In/Out Port	4 / 1	4 / 1	4 / 1	4 / 1	8 / 2
Ingress Protection	-	-	-	-	IP66
Video Output	HD-SDI	NETWORK, HD-SDI	HD-SDI	NETWORK, HD-SDI	HD-SDI, CVBS
Power	DC 15V ~ 26V, AC 24V	DC 15V ~ 26V, AC 24V	DC 15V ~ 26V, AC 24V	DC 15V ~ 26V, AC 24V	AC 21V ~ 26V

TSO Series

PSO/PS Series



	TSO-H208	TSO-M308	TSO-H308	PS-M108 / PSO-M108	PS-H108 / PSO-H108
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P
Lens	20x(f=5.2~104mm)	30x(f=4.6~136mm)	30x(f=4.6~136mm)	10x(f=5.1~51mm)	10x(f=5.1~51mm)
IR Distance	-	-	-	-	-
In/Out Port	8 / 2	8 / 2	8 / 2	2 / 2	2 / 2
Ingress Protection	IP66	IP66	IP66	PSO-M108 : IP66, IK10 / PS-M108 : IK10	PSO-H108 : IP66, IK10 / PS-H108 : IK10
Video Output	NETWORK, HD-SDI, CVBS	HD-SDI, CVBSI	NETWORK, HD-SDI, CVBS	HD-SDI	NETWORK, HD-SDI
Power	AC 21V ~ 26V	AC 21V ~ 26V	AC 21V ~ 26V	DC 12V	DC 12V, PoE+

PSF Series



PSF-H108

Sensor/Resolution	1/2.8", 1080P
Lens	10x(f=5.1~51mm)
IR Distance	-
In/Out Port	2 / 2
Ingress Protection	IK10
Video Output	NETWORK, HD-SDI
Power	DC 12V, PoE+

WTK Series



WTK-M208

Sensor/Resolution	1/2.8", 1080P
Lens	20x(f=5.2~104mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-H208 / F208

Sensor/Resolution	1/2.8", 1080P
Lens	20x(f=5.2~104mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	NETWORK, HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-M308

Sensor/Resolution	1/2.8", 1080P
Lens	30x(f=4.6~136mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-H308 / F308

Sensor/Resolution	1/2.8", 1080P
Lens	30x(f=4.6~136mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	NETWORK, HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-S308

Sensor/Resolution	1/2", 1080P
Lens	30x(f=6~180mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-H308T / F308T

Sensor/Resolution	1/2.8", 1080P Thermal(640x480)
Lens	30x(f=4.6~136mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	NETWORK, CVBS
Power	DC 24V ~ 32V



WTK-HS308 / FS308

Sensor/Resolution	1/2", 1080P
Lens	30x(f=6~180mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	NETWORK, HD-SDI, CVBS
Power	DC 24V ~ 32V



WTK-HS309 / FS309

Sensor/Resolution	1/2", 1080P
Lens	30x(f=6~180mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	NETWORK, CVBS
Power	DC 24V ~ 32V



WTK-S368

Sensor/Resolution	1/2", 1080P
Lens	36x(f=6~216mm)
IR Distance	250m
In/Out Port	1 / 0
Ingress Protection	IP66, IK10
Video Output	HD-SDI, CVBS
Power	DC 24V ~ 32V

WTK Series



36x
1/2"



36x
1/2"



36x
1/1.8"



3x
1/2"



3x
1/1.8"

	WTK-HS368 / FS368	WTK-HS369 / FS369	WTK-FS369Q	IBZ-S29-04	IBZ-S29Q-04
Sensor/Resolution	1/2", 1080P	1/2", 1080P	1/1.8", 1440P	1/2", 1080P	1/1.8", 1440P
Lens	36x(f=6~216mm)	36x(f=6~216mm)	36x(f=6~216mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)
IR Distance	250m	250m	250m	50m	50m
In/Out Port	1 / 0	1 / 0	1 / 0	-	-
Ingress Protection	IP66, IK10	IP66, IK10	IP66, IK10	IP67, IK10	IP67, IK10
Video Output	NETWORK, HD-SDI, CVBS	NETWORK, CVBS	NETWORK, CVBS	EX-SDI, CVBS	EX-SDI
Power	DC 24V ~ 32V	DC 24V ~ 32V	DC 24V ~ 32V	DC 12V	DC 12V



3x
1/2"



4x



4x



4x
1/2"



4x

	IBZ-HS273(A)-04	IBZ-H273(A)-04	IBZ-H276-04	IBZ-HS276-04	IBZ-H276F-04
Sensor/Resolution	1/2", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2", 1080P	1/2.8", 5MP
Lens	3x(f=3.6~11mm)	4x(f=2.8~12mm)	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris
IR Distance	50m	50m	50m	50m	50m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10
Video Output	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS
Power	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE

IBZ Series



	IBZ-HS276F-04	IBZ-H105-04 / X105-04	IBZ-H105Q-04 / X105Q-04	IBZ-HS189-12 / XS189-12	IBZ-HS189Q-12 / XS189Q-12
Sensor/Resolution	1/1.8", 5MP	1/2.8", 1080P	1/2.8", 1440P	1/2", 1080P	1/1.8", 1440P
Lens	4x(f=2.8~12mm), P-Iris	10x(f=4.7~47mm)	10x(f=4.7~47mm)	18x(f=6.8~122.4mm)	18x(f=6.8~122.4mm)
IR Distance	50m	50m	50m	100m	100m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10	IP67, IK10
Video Output	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS
Power	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE+	DC 12V, PoE+

MP Series



	MP-038 / 038-22	MP-11-04	MP-S29-04	MP-S29Q-04	MP-HS273(A)-04
Sensor/Resolution	1/3", 1080P	1/2.9", 1080P	1/2", 1080P	1/1.8", 1440P	1/2", 1080P
Lens	3x(f=3~9mm)	4x(f=2.8~12mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)
IR Distance	- / 18m	30m	30m	30m	30m
In/Out Port	-	-	-	-	1 / 1
Ingress Protection	-	-	-	-	-
Video Output	HD-SDI, EX-SDI, TVI(Optional), CVBS	HD-SDI, EX-SDI, CVBS	EX-SDI, CVBS	EX-SDI	NETWORK, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V, PoE

MP Series



	MP-H273(A)-04	MP-H276-04	MP-HS276-04	MP-H276F-04	MP-HS276F-04
Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2", 1080P	1/2.8", 5MP	1/1.8", 5MP
Lens	4x(f=2.8~12mm)	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris
IR Distance	30m	30m	30m	30m	30m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	-	-	-	-	-
Video Output	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS
Power	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE

MV Series



	MV-038 / 038-22	MV-11-04	MV-S29-04	MV-S29Q-04	MV-HS273(A)-04
Sensor/Resolution	1/3", 1080P	1/2.9", 1080P	1/2", 1080P	1/1.8", 1440P	1/2", 1080P
Lens	3x(f=3~9mm)	4x(f=2.8~12mm)	3x(f=3.6~10mm)	3x(f=3.6~10mm)	3x(f=3.6~11mm)
IR Distance	- / 18m	30m	30m	30m	30m
In/Out Port	-	-	-	-	1 / 1
Ingress Protection	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10
Video Output	HD-SDI, EX-SDI, TVI(Optional), CVBS	HD-SDI, EX-SDI, CVBS	EX-SDI, CVBS	EX-SDI	NETWORK, CVBS
Power	DC 12V	DC 12V	DC 12V	DC 12V	DC 12V, PoE

MV Series



MV-H273(A)-04



MV-H276-04



MV-HS276-04



MV-H276F-04



MV-HS276F-04

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2", 1080P	1/2.8", 5MP	1/1.8", 5MP
Lens	4x(f=2.8~12mm)	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris	4x(f=2.8~12mm), P-Iris
IR Distance	30m	30m	30m	30m	30m
In/Out Port	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Ingress Protection	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10	IP66, IK10
Video Output	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS	NETWORK, CVBS
Power	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE	DC 12V, PoE

EZB Series



EZB-M28 / M108



EZB-H105



EZB-H105Q



EZB-H273



EZB-HS273

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1440P	1/2.8", 1080P	1/2", 1080P
Lens	4x(f=2.8~12mm) / 10x(f=5.1~51mm)	10x(f=4.7~47mm)	10x(f=4.7~47mm)	4x(f=2.8~12mm)	3x(f=3.6~11mm)
IR Distance	-	-	-	-	-
In/Out Port	-	1 / 1	1 / 1	1 / 1	1 / 1
Certification	IECEX, ATEX, KCs, JPEx	IECEX, ATEX, KCs, JPEx	IECEX, ATEX, KCs, JPEx	IECEX, ATEX, KCs, JPEx	IECEX, ATEX, KCs, JPEx
Video Output	HD-SDI, EX-SDI, CVBS	NETWORK	NETWORK	NETWORK	NETWORK
Power	DC 12V, POC 48V	DC 12V, PoE+	DC 12V, PoE+	DC 12V, PoE+	DC 12V, PoE+

EXF Series



20x

EXF-M208



20x

EXF-H208



30x

EXF-M308



30x

EXF-H308

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1080P
Lens	20x(f=5.2~104mm)	20x(f=5.2~104mm)	30x(f=4.6~136mm)	30x(f=4.6~136mm)
IR Distance	-	-	-	-
In/Out Port	2 / 2	2 / 2	2 / 2	2 / 2
Certification	KCs, ATEX	KCs, ATEX	KCs, ATEX	KCs, ATEX
Video Output	HD-SDI, CVBS	NETWORK, CVBS	HD-SDI, CVBS	NETWORK, CVBS
Power	AC 24V	AC 24V	AC 24V	AC 24V

EZP Series



40x

EZP-M405 / H405



40x

EZP-M405-30 / H405-30



40x

EZP-H405Q



40x

EZP-H405Q-30

Sensor/Resolution	1/2.8", 1080P	1/2.8", 1080P	1/2.8", 1440P	1/2.8", 1440P
Lens	40x(f=4.25~170mm)	40x(f=4.25~170mm)	40x(f=4.25~170mm)	40x(f=4.25~170mm)
IR Distance	-	200m	-	200m
In/Out Port	EZP-M405 : 2 / 2 EZP-H405 : 1 / 1	EZP-M405-30 : 2 / 2 EZP-H405-30 : 1 / 1	1 / 1	1 / 1
Certification	IECEX, ATEX, KCs	IECEX, ATEX, KCs	IECEX, ATEX, KCs	IECEX, ATEX, KCs
Video Output	EZP-M405 : HD-SDI, CVBS EZP-H405 : NETWORK	EZP-M405-30 : HD-SDI, CVBS EZP-H405-30 : NETWORK	NETWORK	NETWORK
Power	AC 24V	AC 24V	AC 24V	AC 24V

WONWOO